

Name _____ Student No. _____

No aids allowed. Answer all questions on test paper. Use backs of sheets for scratch work.

Total Marks: **60**


- [20] 1. Consider the following instance of the stable matching problem, where the boys are $\{a, b, c\}$ and the girls are $\{x, y, z\}$ and the lists of preferences are given below.

$$\begin{array}{ll} a: y < x < z & x: b < a < c \\ b: z < y < x & y: c < b < a \\ c: x < z < y & z: a < c < b \end{array}$$

Is there a stable solution where (a, y) is a pair?

Yes, $\{(a, y), (b, z), (c, x)\}$.

2. How many minimum cost spanning trees does the following network have? Assume that the cost of each edge is the inverse of the throughput rate, and that it is the *same for all edges*, $\frac{1}{2.376\text{Mbits}}$.



Just remove any one of the edges, and you obtain a minimum cost spanning tree. As 7 edges can be removed, there are 7 different minimum cost spanning trees.

3. First state Kruskal's algorithm. Then show that if $G = (V, E)$ is connected, then the assertion

“after the first i iterations of the for-loop the graph $(V, T \cup \{e_{i+1}, e_{i+2}, \dots, e_m\})$ is connected”

is a loop invariant.

Problem 2.6 in the book, presented in class.